

## EAST Search History

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|------|---|---|------------------|---------|---------------------|
| L1    | 36   | ((portable flash mobile thumb) NEAR2 (memory cache card drive storage) NEAR2 (card unit device means method manner)) WITH ((unconventional proprietary incompatible incompatible unique) NEAR2 (interface connect \$3 mate plug)) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/12/15<br>19:58 |
| L2    | 5    | 1 AND ((@ad <= "20000217") or (@rlad <= "20000217"))  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/12/15<br>19:58 |
| L3    | 2    | ("6886070").URPN.   | USPAT   | OR               | ON      | 2008/12/15<br>20:27 |
| L4    | 11   | ("5802559"   "5815427"   "5822246"   "5841715"   "5889710"   "5905683"   "6021469"   "6031782"   "6037803"   "6125423"   "6240535").PN.   | US-PGPUB;<br>USPAT; USOCR   | OR               | ON      | 2008/12/15<br>20:27 |
| L5    | 90   | ((portable flash mobile thumb) NEAR3 (memory cache card drive storage)) WITH ((unconventional proprietary incompatible incompatible unique) NEAR2 (interface connect \$3 mate plug))  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/12/15<br>20:34 |
| L6    | 9    | 5 AND ((@ad <= "20000217") or (@rlad <= "20000217"))  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/12/15<br>20:34 |
| L7    | 249  | "711"/\$.ccls. AND ((unconventional proprietary incompatible incompatible unique) NEAR2 (interface connect \$3 mate plug)) AND ((@ad <= "20000217") or (@rlad <= "20000217"))   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/12/15<br>20:36 |

|     |     |   |   |    |    |                     |
|-----|-----|---|---|----|----|---------------------|
| L8  | 475 | "710"/\$.ccls. AND<br>((unconventional<br>proprietary incompatible<br>uncompatible unique)<br>NEAR2 (interface connect<br>\$3 mate plug)) AND<br>((@ad <= "20000217") or<br>(@rlad <= "20000217"))  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/15<br>21:34 |
| L9  | 134 | "710"/\$.ccls. AND<br>((unconventional<br>proprietary incompatible<br>uncompatible) NEAR2<br>(interface connect\$3 mate<br>plug)) AND ((@ad <=<br>"20000217") or (@rlad<br><= "20000217"))  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/15<br>21:34 |
| L10 | 2   | ("2001/0042150").URPN.  | USPAT   | OR | ON | 2008/12/15<br>21:36 |
| L11 | 24  | ("20010042150"  <br>"20020112084"  <br>"5367646"   "5729204"  <br>"5745794"   "5875415"  <br>"5963450"   "6032203"  <br>"6085227"   "6088624"  <br>"6098116"   "6128673"  <br>"6131125"   "6138180"  <br>"6185466"   "6314479"  <br>"6334160"   "6362836"  <br>"6430740"   "6496893"  <br>"6501995"   "6526323"  <br>"6529936"   "6580950").<br>PN. | US-PGPUB;<br>USPAT; USOCR   | OR | ON | 2008/12/15<br>21:36 |
| L12 | 21  | ("4603320"   "4848287"  <br>"4884287"   "4972470"  <br>"4993956"   "5073852"  <br>"5539787"   "5574859"  <br>"5664204"   "5664229"  <br>"5781747"   "5793989"  <br>"5794014"   "5822251"  <br>"5828905"   "5832244"  <br>"5842045"   "5887198"  <br>"5931933"   "5964852"  <br>"H001472").PN.   | US-PGPUB;<br>USPAT; USOCR   | OR | ON | 2008/12/15<br>21:39 |
| L13 | 212 | "710"/\$.ccls. AND<br>(( custom\$4) NEAR2<br>(interface connect\$3 mate<br>plug)) AND ((@ad <=<br>"20000217") or (@rlad<br><= "20000217"))  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/15<br>21:51 |
| L14 | 76  | ("5111423").URPN.   | USPAT   | OR | ON | 2008/12/15<br>21:55 |

|     |     |   |   |    |    |                     |
|-----|-----|---|---|----|----|---------------------|
| L15 | 239 | ((portable flash mobile thumb handheld) NEAR3 (memory cache card drive storage)) WITH ((unconventional proprietary incompatible uncompatible custom\$4) NEAR2 (interface connect \$3 mate plug))                                | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/15<br>22:16 |
| L16 | 97  | 15 AND ((@ad <= "20000217") or (@rlad <= "20000217"))   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/15<br>22:16 |
| L17 | 128 | (bill\$3 fee charge) WITH ((number amount usage) NEAR2 (time play\$2 playback usage viewed)) AND "725"/\$.ccls. AND ((@ad <= "20000217") or (@rlad <= "20000217"))  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/15<br>22:32 |
| L18 | 73  | ("5640453").URPN.   | USPAT   | OR | ON | 2008/12/15<br>23:02 |
| L19 | 30  | ("4593337").URPN.   | USPAT   | OR | ON | 2008/12/15<br>23:07 |
| L20 | 27  | ("5023741").URPN.   | USPAT   | OR | ON | 2008/12/15<br>23:09 |
| L21 | 139 | (bill\$3 fee charge) WITH ((number amount usage) NEAR3 (time play\$2 playback usage viewed accessed) NEAR3 (time play\$2 playback usage viewed accessed)) AND "725"/\$.ccls. AND ((@ad <= "20000217") or (@rlad <= "20000217")) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/15<br>23:15 |
| L22 | 199 | (bill\$3 fee charge) WITH ((number amount usage) NEAR3 (time play\$2 playback usage viewed accessed) NEAR3 (time play\$2 playback usage viewed accessed)) AND "709"/\$.ccls. AND ((@ad <= "20000217") or (@rlad <= "20000217")) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/16<br>02:04 |

|     |     |           |   |    |    |                     |
|-----|-----|-----------|---|----|----|---------------------|
| L23 | 186 | 22 NOT 21 | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/16<br>02:05 |
|-----|-----|-----------|---|----|----|---------------------|

12/16/08 2:29:54 AM

C:\Documents and Settings\RBrown1\My Documents\EAST\Workspaces\09-506261.wsp